







































B		
CO		
F		
G		
H		
HA		
HRA		
KI		
M		
MW		
RF		
SA		
TH		
U		
US		
V		
VP		
VX		
WA		

Система	Пресс-кляци	Арт.-№	
AHLSELL	M 12	570100	105,-
A-press	M 15	570110	105,-
elgalvaniserat	M 18	570120	105,-
	M 22	570130	105,-
	M 28	570140	105,-
	M 35	570150	105,-
	M 42 (4G)	570160	344,-
	M 54 (4G)	570170	344,-
AHLSELL	V 12	570107	105,-
A-press koppar	V 15	570115	105,-
	V 18	570125	105,-
	V 22	570135	105,-
	V 28	570145	105,-
	V 35	570155	105,-
	V 42	570165	199,-
	V 54	570175	199,-
AHLSELL	M 15	570110	105,-
A-press rostfritt	M 18	570120	105,-
	M 22	570130	105,-
	M 28	570140	105,-
	M 35	570150	105,-
	M 42 (4G)	570160	344,-
	M 54 (4G)	570170	344,-
ANBO C-Press	M 12	570100	105,-
	M 15	570110	105,-
	M 18	570120	105,-
	M 22	570130	105,-
	M 28	570140	105,-
	M 35	570150	105,-
	M 42 (4G)	570160	344,-
	M 54 (4G)	570170	344,-
APE Raccordi a pressare	TH 14"	570455	128,-
	TH 16"	570460	128,-
	TH 18"	570465	128,-
	TH 20"	570470	128,-
	TH 26"	570475	139,-
	TH 32"	570480	164,-
Armaturjonsson BALLOFX PRES	M 15	570110	105,-
	M 18	570120	105,-
	M 22	570130	105,-
	V 15	570115	105,-
	V 18	570125	105,-
	V 22	570135	105,-
ASTM F 1807 (Fittings with Copper Crimp Ring for PEX tubing)	US 3/8"	571450	116,-
	US 1/2"	571455	116,-
	US 3/4"	571460	116,-
	US 1"	571465	116,-
	US 1 1/4"	571470	116,-
BAMPI BALPED BAMPI BALPEX	TH 14"	570455	128,-
	TH 16"	570460	128,-
	TH 18"	570465	128,-
	TH 20"	570470	128,-
	TH 26"	570475	139,-
	TH 32"	570480	164,-
BARBI MULTIPEX (Industrial Blansol)	H 11,5"	570315	116,-
	H 14"	570310	116,-
	H 16"	570320	116,-
	H 17"	570330	116,-
	H 18"	570340	116,-
	H 20"	570350	116,-
	H 26"	570370	126,-
	H 32"	570380	126,-
	H 40 (4G)	570390	344,-
	U 40	570790	167,-
BEGETUBE/VAR	B 16"	570850	122,-
	B 20"	570860	122,-
	B 26"	570870	145,-
	B 32"	570880	157,-
	F 40	570740	156,-
	F 50	570745	178,-
	F 63 (S)	572385	322,-
beuco armatur ab VSH-Press	M 12	570100	105,-
	M 15	570110	105,-
	M 18	570120	105,-
	M 22	570130	105,-
	M 28	570140	105,-
	M 35	570150	105,-
	M 42 (4G)	570160	344,-
	M 54 (4G)	570170	344,-
BROEN BALLOFX PRES	M 15	570110	105,-
	M 18	570120	105,-
	M 22	570130	105,-
	V 15	570115	105,-
	V 18	570125	105,-
	V 22	570135	105,-
BUCCHI tech MP	TH 16"	570460	128,-
	TH 18"	570465	128,-
	TH 20"	570470	128,-
	TH 26"	570475	139,-
	TH 32"	570480	164,-
Climatek ClimaTherm	H 14 A"	570610	145,-
	H 16 A"	570620	145,-
	H 20 A"	570650	145,-
	H 26 A"	570670	156,-
	H 32 A"	570680	156,-
	H 40 A (4G)	570695	373,-

Система	Пресс-кляци	Арт.-№	
ClouSet Press	TH 16"	570460	128,-
	TH 18"	570465	128,-
	TH 20"	570470	128,-
CO.E.S.	U 14"	570760	110,-
Coesklima	U 16"	570765	110,-
	U 18"	570770	110,-
	U 20"	570775	110,-
	U 25"	570780	121,-
	U 32	570785	133,-
	U 40	570790	167,-
	U 50	570795	188,-
	U 63 (S)	572365	322,-
	U 75 (S)	572370	-
Comap	V 12	570107	105,-
Sudbpress Cu	V 14	570112	105,-
	V 15	570115	105,-
	V 16	570117	105,-
	V 18	570125	105,-
	V 22	570135	105,-
	V 28	570145	105,-
	V 35	570155	105,-
	V 42	570165	199,-
	V 54	570175	199,-
Comap	CO 12"	571600	116,-
Sudbpress PEX (PER)	CO 16"	571605	116,-
	CO 20"	571610	116,-
	CO 25"	571615	116,-
Comap Multiskin Gas	TH 16"	570460	128,-
	TH 20"	570470	128,-
	TH 26"	570475	139,-
	TH 32"	570480	164,-
Comap Sudbpress Skin	TH 14"	570455	128,-
	TH 16"	570460	128,-
	TH 18"	570465	128,-
	TH 20"	570470	128,-
	TH 26"	570475	139,-
	TH 32"	570480	164,-
	TH 40	570485	175,-
	TH 50 (S)	572400	322,-
	TH 63 (S)	572405	322,-
Comap	TH 16"	570460	128,-
Sudbpress Skin Gas	TH 18"	570465	128,-
	TH 20"	570470	128,-
	TH 26"	570475	139,-
Dalplex LaserMulti Dalplex	TH 14"	570455	128,-
	TH 16"	570460	128,-
	TH 18"	570465	128,-
	TH 20"	570470	128,-
	TH 26"	570475	139,-
	TH 32"	570480	164,-
	TH 40	570485	175,-
	TH 50 (S)	572400	322,-
Dalplex LaserMulti Inox	TH 16"	570460	128,-
	TH 20"	570470	128,-
DiaNorm HKS Sitec Press	TH 14"	570455	128,-
	TH 16"	570460	128,-
	TH 18"	570465	128,-
	TH 20"	570470	128,-
	TH 26"	570475	139,-
	TH 32"	570480	164,-
	TH 40	570485	175,-
DIWAflex systems	TH 16"	570460	128,-
	TH 20"	570470	128,-
	TH 26"	570475	139,-
	TH 32"	570480	164,-
	U 40	570790	167,-
	U 50	570795	188,-
egeda FRABO-PRESS	V 12	570107	105,-
	V 15	570115	105,-
	V 18	570125	105,-
	V 22	570135	105,-
	V 28	570145	105,-
	V 35	570155	105,-
	V 42	570165	199,-
	V 54	570175	199,-
EMPUR PEXPRESS	TH 14"	570455	128,-
	TH 16"	570460	128,-
	TH 17"	570462	128,-
	TH 20"	570470	128,-
	TH 26"	570475	139,-
	TH 32"	570480	164,-
eurotherm Multistrato Euro2000	TH 16"	570460	128,-
	TH 20"	570470	128,-
	TH 26"	570475	139,-
	TH 32"	570480	164,-
EUROTUBI INOX PRESSFITTING SISTEM	M 15	570110	105,-
	M 18	570120	105,-
	M 22	570130	105,-
	M 28	570140	105,-
	M 35	570150	105,-
	M 42 (4G)	570160	344,-
	M 54 (4G)	570170	344,-

Система	Пресс-класи	Арт.-№			
F.B.Q. BARONIO BQ press	V 14	570112	105,-		
	V 15	570115	105,-		
	V 16	570117	105,-		
	V 18	570125	105,-		
	V 22	570135	105,-		
	V 28	570145	105,-		
	V 35	570155	105,-		
	V 42	570165	199,-		
	V 54	570175	199,-		
	Fimisol HAKAPRESS	H 14*	570310	116,-	
H 16*		570320	116,-		
H 17*		570330	116,-		
H 18*		570340	116,-		
H 20*		570350	116,-		
H 26*		570370	126,-		
H 32		570380	126,-		
H 40 (4G)		570390	344,-		
U 40		570790	167,-		
Fränkische		F 16*	570715	122,-	
	F 18*	570720	122,-		
	F 20*	570725	122,-		
	F 26*	570730	128,-		
	F 32	570735	139,-		
	F 40	570740	158,-		
	F 50	570745	178,-		
	F 63 (S)	572385	322,-		
	FRIATHERM uni	H 16*	570320	116,-	
		H 20*	570350	116,-	
H 26*		570370	126,-		
H 32		570380	126,-		
H 40 (4G)		570390	344,-		
U 40		570790	167,-		
gabo Systemtechnik		TH 12*	570452	128,-	
		TH 14*	570455	128,-	
		TH 15*	570457	128,-	
		TH 16*	570460	128,-	
	TH 17*	570462	128,-		
	TH 18*	570465	128,-		
	TH 20*	570470	128,-		
	TH 25*	570495	139,-		
	TH 26*	570475	139,-		
	TH 32	570480	164,-		
GAROS	TH 14*	570455	128,-		
	TH 16*	570460	128,-		
	TH 20*	570470	128,-		
	TH 26*	570475	139,-		
	TH 32	570480	164,-		
	TH 40	570485	175,-		
	Geberit Mepla	G 16*	570400	117,-	
		G 20*	570410	117,-	
		G 26*	570420	117,-	
		G 32	570430	117,-	
G 40		570440	163,-		
G 50		570450	178,-		
+GF+ PRESS FT, +GF+ NiroSan		SA 12	570930	105,-	
		SA 15	570935	105,-	
		SA 18	570940	105,-	
		SA 22	570945	105,-	
	SA 28	570950	105,-		
	SA 35	570955	105,-		
	SA 42 (4G)	570960	344,-		
	SA 54 (4G)	570965	344,-		
	M 12	570100	105,-		
	M 15	570110	105,-		
Giacomini Giacoflex, Giacotherm	TH 14*	570455	128,-		
	TH 16*	570460	128,-		
	TH 18*	570465	128,-		
	TH 20*	570470	128,-		
	TH 26*	570475	139,-		
	TH 32	570480	164,-		
	GS Wärmesysteme	H 16*	570320	116,-	
		H 20*	570350	116,-	
		H 26*	570370	126,-	
		H 32	570380	126,-	
H 40 (4G)		570390	344,-		
U 40		570790	167,-		
HAGE DOMINOX		M 15	570110	105,-	
		M 18	570120	105,-	
		M 22	570130	105,-	
		M 28	570140	105,-	
	M 35	570150	105,-		
	M 42 (4G)	570160	344,-		
	M 54 (4G)	570170	344,-		
	HAGOS	TH 16*	570460	128,-	
		HAKA.GERODUR HAKAPRESS	H 11,5*	570315	116,-
			H 14*	570310	116,-
H 16*			570320	116,-	
H 17*			570330	116,-	
H 18*			570340	116,-	
H 20*			570350	116,-	
H 26*			570370	126,-	
H 32			570380	126,-	
H 40 (4G)			570390	344,-	
U 40	570790		167,-		

Система	Пресс-класи	Арт.-№			
HALLTORP RORDELAR HR press Cu (Koppar)	V 12	570107	105,-		
	V 15	570115	105,-		
	V 18	570125	105,-		
	V 22	570135	105,-		
	V 28	570145	105,-		
	V 35	570155	105,-		
	V 42	570165	199,-		
	V 54	570175	199,-		
	HALLTORP RORDELAR HR press 316 (Rostfritt) HR press FZ (Förzinkat)	M 12	570100	105,-	
		M 15	570110	105,-	
M 18		570120	105,-		
M 22		570130	105,-		
M 28		570140	105,-		
M 35		570150	105,-		
M 42 (4G)		570160	344,-		
M 54 (4G)		570170	344,-		
Harden 2000 Poly-Pex 2000		TH 14*	570455	128,-	
		TH 16*	570460	128,-	
	TH 20*	570470	128,-		
	TH 26*	570475	139,-		
	TH 32	570480	164,-		
	TH 40	570485	175,-		
	TH 50 (S)	572400	322,-		
	Harden 2000 Plasto-Press	TH 14*	570455	128,-	
		TH 16*	570460	128,-	
		TH 20*	570470	128,-	
TH 26*		570475	139,-		
Henco		TH 14*	570455	128,-	
		TH 16*	570460	128,-	
		TH 18*	570465	128,-	
		TH 20*	570470	128,-	
		TH 26*	570475	139,-	
		HE 32	571900	164,-	
	Heiz pipex	TH 14*	570455	128,-	
		TH 15*	570457	128,-	
		TH 16*	570460	128,-	
		TH 17*	570462	128,-	
TH 18*		570465	128,-		
TH 20*		570470	128,-		
TH 25*		570495	139,-		
TH 26*		570475	139,-		
TH 32		570480	164,-		
TH 40		570485	175,-		
HIDROTEC KLIMATEC	U 16*	570765	110,-		
	U 18*	570770	110,-		
	U 20*	570775	110,-		
	U 25*	570780	121,-		
	U 32	570785	133,-		
	HITEC Sistema Multistrato	TH 14*	570455	128,-	
		TH 16*	570460	128,-	
		TH 18*	570465	128,-	
		TH 20*	570470	128,-	
		TH 26*	570475	139,-	
TH 32		570480	164,-		
hs SYSTEM Heizung		M 18	570120	105,-	
		hs SYSTEM Sanitär	H 16*	570320	116,-
			H 18*	570340	116,-
			H 20*	570350	116,-
	H 26*		570370	126,-	
	H 32		570380	126,-	
	H 40 (4G)		570390	344,-	
	IBP >B<-press, IBP >B<-press Gas		V 12	570107	105,-
			V 14	570112	105,-
			V 15	570115	105,-
V 16			570117	105,-	
V 18		570125	105,-		
V 22		570135	105,-		
V 28		570145	105,-		
V 35		570155	105,-		
V 42		570165	199,-		
V 54		570175	199,-		
IDROSISTEM TA-PRESS	TH 16*	570460	128,-		
	TH 20*	570470	128,-		
	TH 26*	570475	139,-		
	TH 32	570480	164,-		
	IMI	M 12	570100	105,-	
		M 14 W	570122	105,-	
		V 14	570112	105,-	
		M 15	570110	105,-	
		M 16 W	570127	105,-	
		V 16	570117	105,-	
M 18		570120	105,-		
M 22		570130	105,-		
M 28		570140	105,-		
M 35		570150	105,-		
IPA IPANA-Press	TH 10*	570467	128,-		
	TH 12*	570452	128,-		
	TH 14*	570455	128,-		
	TH 15*	570457	128,-		
	TH 16*	570460	128,-		
	TH 17*	570462	128,-		
	TH 18*	570465	128,-		
	TH 20*	570470	128,-		
	TH 25*	570495	139,-		
	TH 26*	570475	139,-		
IPALPEX (Industrie du Plastique et Accessoires)	H 14*	570310	116,-		
	H 16*	570320	116,-		
	H 20*	570350	116,-		
	H 26*	570370	126,-		
	H 32	570380	126,-		

Система	Пресс-клещи	Арт.-№		
MAR IVAR-press	B 14*	570845	122,-	
	B 16*	570850	122,-	
	B 18*	570855	122,-	
	B 20*	570860	122,-	
	B 26	570870	145,-	
	B 32	570880	157,-	
	F 40	570740	156,-	
F 50	570745	178,-		
	F 63 (S)	572385	322,-	
	Jäger aquapress	H 14*	570310	116,-
		H 16*	570320	116,-
H 17*		570330	116,-	
H 18*		570340	116,-	
H 20*		570350	116,-	
H 26*		570370	126,-	
H 32		570380	126,-	
H 40 (4G)		570390	344,-	
U 40		570790	167,-	
Jaraflex- Presssystem		TH 14*	570455	128,-
	TH 16*	570460	128,-	
	TH 18*	570465	128,-	
	TH 20*	570470	128,-	
	TH 26*	570475	139,-	
	TH 32	570480	164,-	
	TH 40	570485	175,-	
JUPITER Heizsysteme	U 16*	570765	110,-	
	U 20*	570775	110,-	
	U 25*	570780	121,-	
	U 32	570785	133,-	
	U 40	570790	167,-	
	U 50	570795	188,-	
	U 63 (S)	572365	322,-	
KELIT KELOX	U 16*	570765	110,-	
	U 18*	570770	110,-	
	U 20*	570775	110,-	
	U 25*	570780	121,-	
	U 32	570785	133,-	
	U 40	570790	167,-	
	U 50	570795	188,-	
	U 63 (S)	572365	322,-	
Kisan	KI 16*	571360	116,-	
	KI 20*	571370	116,-	
	KI 25*	571375	116,-	
KOHLER inoxPRES	M 15	570110	105,-	
	M 18	570120	105,-	
	M 22	570130	105,-	
	M 28	570140	105,-	
	M 35	570150	105,-	
	M 42 (4G)	570160	344,-	
M 54 (4G)	570170	344,-		
Lagerstedt & Krantz LK B-press	V 12	570107	105,-	
	V 15	570115	105,-	
	V 18	570125	105,-	
	V 22	570135	105,-	
	V 28	570145	105,-	
	V 35	570155	105,-	
	V 42	570165	199,-	
	V 54	570175	199,-	
Lagerstedt & Krantz LK Universal	TH 16*	570460	128,-	
	TH 20*	570470	128,-	
	TH 25 LK*	570497	139,-	
LAVAGRUND LAVA-PRESS	TH 14*	570455	128,-	
	TH 16*	570460	128,-	
	TH 20*	570470	128,-	
	TH 26*	570475	139,-	
	TH 32	570480	164,-	
	TH 40	570485	175,-	
Mair Heiztechnik Gomatix M	H 11,5*	570315	116,-	
	H 14*	570310	116,-	
	H 16*	570320	116,-	
	H 20*	570350	116,-	
Mair Heiztechnik Gomatix CU / E	M 12	570100	105,-	
	M 15	570110	105,-	
	M 18	570120	105,-	
	M 22	570130	105,-	
Mair Heiztechnik M-Press	H 11,5*	570315	116,-	
	H 14*	570310	116,-	
	H 16*	570320	116,-	
	H 20*	570350	116,-	
	H 26*	570370	126,-	
	H 32	570380	126,-	
	H 40 A (4G)	570695	373,-	
mapress C-STAHLL, EDELSTAHLL, EDELSTAHLL, EDELSTAHLL Gas (15-35 mm), KUPFER, KUPFER Gas (15-35 mm)	M 12	570100	105,-	
	M 15	570110	105,-	
	M 18	570120	105,-	
	M 22	570130	105,-	
	M 28	570140	105,-	
	M 35	570150	105,-	
Mark KG Polymark	TH 16*	570460	128,-	
	TH 20*	570470	128,-	
	TH 26*	570475	139,-	
	TH 32	570480	164,-	
MAXITUB MAXIPRESS	RF 12*	571320	116,-	
	RF 16*	571325	116,-	
	RF 20*	571330	116,-	
	RF 25*	571335	116,-	
	MEGARO	H 11,5*	570315	116,-
H 14*		570310	116,-	
H 16*		570320	116,-	
H 17*		570330	116,-	
H 18*		570340	116,-	
H 20*		570350	116,-	
H 26*		570370	126,-	
H 32		570380	126,-	
H 40 (4G)		570390	344,-	
U 40		570790	167,-	

Система	Пресс-клещи	Арт.-№	
MULTITHERM- PRESSSYSTEM	TH 16*	570460	128,-
	TH 18*	570465	128,-
	TH 20*	570470	128,-
	TH 26*	570475	139,-
	TH 32	570480	164,-
multilubo systems	U 16*	570765	110,-
	U 20*	570775	110,-
	U 25*	570780	121,-
	U 32	570785	133,-
	U 40	570790	167,-
	U 50	570795	188,-
	U 63 (S)	572365	322,-
NEUTHERM MEKUPRESS-HT	H 16*	570320	116,-
	H 20*	570350	116,-
	H 26*	570370	126,-
	H 32	570380	126,-
	H 40 (4G)	570390	344,-
	U 40	570790	167,-
Niklaus Nico-Press	H 14*	570310	116,-
	H 16*	570320	116,-
	H 17*	570330	116,-
	H 18*	570340	116,-
	H 20*	570350	116,-
	H 26*	570370	126,-
	H 32	570380	126,-
	H 40 (4G)	570390	344,-
	U 40	570790	167,-
N.T.M. winny-al	TH 14*	570455	128,-
	TH 16*	570460	128,-
	TH 18*	570465	128,-
	TH 20*	570470	128,-
	TH 26*	570475	139,-
Nupi MultiNupi	U 14*	570760	110,-
	U 16*	570765	110,-
	U 18*	570770	110,-
	U 20*	570775	110,-
	C 26*	570750	122,-
Nussbaum Cupress, Cupress G, Opipress	U 32	570785	133,-
	U 40	570790	167,-
	U 50	570795	188,-
	U 63 (S)	572365	322,-
	V 12	570107	105,-
	V 15	570115	105,-
Nussbaum Opiflex plus	V 18	570125	105,-
	V 22	570135	105,-
	V 28	570145	105,-
	V 36	570155	105,-
	V 42	570165	199,-
V 54	570175	199,-	
O.M.T. Heizungssystem	VP 16*	570910	110,-
	VP 20*	570915	110,-
	VP 25*	570920	122,-
	VP 32	570925	134,-
Overtrop Cofit P	H 16*	570320	116,-
	H 20*	570350	116,-
	H 26*	570370	126,-
	H 32	570380	126,-
	H 40 (4G)	570390	344,-
Pavitherm MULTISTABIL	H 16 A*	570620	145,-
	H 20 A*	570650	145,-
	H 26 A*	570670	156,-
	H 32 A	570680	156,-
	H 40 A (4G)	570695	373,-
	TH 14*	570455	128,-
PIPELIFE- RADOPRESS	TH 16*	570460	128,-
	TH 18*	570465	128,-
	TH 20*	570470	128,-
	TH 26*	570475	139,-
	TH 32	570480	164,-
	TH 40	570485	175,-
	PB TUB SAPRESS	RF 12*	571320
RF 16*		571325	116,-
RF 20*		571330	116,-
RF 25*		571335	116,-
POLYSAN Handelsges. m.b.H. & Co KG (Krems - Österreich) POLYSAN- Press-System		TH 14*	570455
	TH 16*	570460	128,-
	TH 17*	570462	128,-
	TH 18*	570465	128,-
	TH 20*	570470	128,-
	TH 26*	570475	139,-
	TH 32	570480	164,-
	TH 40	570485	175,-
	TH 50 (S)	572400	322,-
	TH 63 (S)	572405	322,-
POLYSAN S.A. (Madrid - Espana) Sistema Rainbow	U 16*	570765	110,-
	U 18*	570770	110,-
	U 20*	570775	110,-
	U 25*	570780	121,-
	U 32	570785	133,-
	U 40	570790	167,-
Polytherm Polyfix, Polyfix-MT	U 50	570795	188,-
	U 63 (S)	572365	322,-
	H 10,5 A*	570605	145,-
	H 12 A*	570600	145,-
	H 14 A*	570610	145,-
	H 16 A*	570620	145,-
	H 20 A*	570650	145,-
	H 26 A*	570670	156,-
H 32 A	570680	156,-	
H 40 A (4G)	570695	373,-	

Система	Пресс-плечи	Арт.-№		
Prandelli MULTYRAMA	H 14*	570310	116,-	
	H 16*	570320	116,-	
	H 18*	570340	116,-	
	H 20*	570350	116,-	
	H 26*	570370	128,-	
	H 32	570380	128,-	
	U 40	570790	167,-	
PRASKI BAVARIApress	TH 10*	570467	128,-	
	TH 16*	570460	128,-	
	TH 17*	570462	128,-	
	TH 20*	570470	128,-	
	TH 26*	570475	139,-	
RIDGID ProPress	VUS 1/2"	571770	110,-	
	VUS 3/4"	571775	110,-	
	VUS 1"	571780	110,-	
	VUS 1 1/4"	571785	110,-	
	VUS 1 1/2"	571790	199,-	
PURMO HKS Sitec Press	TH 14*	570455	128,-	
	TH 16*	570460	128,-	
	TH 17*	570462	128,-	
	TH 18*	570465	128,-	
	TH 20*	570470	128,-	
remo	H 14*	570310	116,-	
	H 16*	570320	116,-	
	H 18*	570340	116,-	
	H 20*	570350	116,-	
	H 26*	570370	128,-	
	H 32	570380	128,-	
	H 40 (4G)	570390	344,-	
RIFENG PRESS FITTING F5	U 16*	570765	110,-	
	U 18*	570770	110,-	
	U 20*	570775	110,-	
	U 25*	570780	121,-	
	U 32	570785	133,-	
	U 40	570790	167,-	
	U 50	570795	188,-	
	U 63 (S)	572365	322,-	
	RIQUIERA SERTIR	H 12*	570300	116,-
H 16*		570320	116,-	
H 20*		570350	116,-	
H 25*		570360	126,-	
Rogapress		TH 14*	570455	128,-
	TH 16*	570460	128,-	
	TH 17*	570462	128,-	
	TH 18*	570465	128,-	
	TH 20*	570470	128,-	
	TH 26*	570475	139,-	
	TH 32	570480	164,-	
	U 14*	570760	110,-	
	U 16*	570765	110,-	
	U 18*	570770	110,-	
	U 20*	570775	110,-	
	B 16*	570850	122,-	
	B 18*	570855	122,-	
	B 20*	570860	122,-	
	B 26	570870	145,-	
	B 32	570880	157,-	
	H 14*	570310	116,-	
	H 16*	570320	116,-	
	H 17*	570330	116,-	
	H 18*	570340	116,-	
	H 20*	570350	116,-	
	H 26*	570370	128,-	
	H 32	570380	128,-	
	F 16*	570715	122,-	
	F 20*	570725	122,-	
	F 26*	570730	128,-	
	F 32	570735	139,-	
	F 40	570740	156,-	
	F 50	570745	178,-	
	F 63 (S)	572385	322,-	
	Roth	H 14*	570310	116,-
		H 16*	570320	116,-
		H 17*	570330	116,-
		H 20*	570350	116,-
		HR 14 A*	571400	145,-
HR 17 A*		571405	145,-	
HR 20 A*		571410	145,-	
HR 25 A*		571415	157,-	
HR 32 A		571420	157,-	
HR 40 A (S)		572440	350,-	
HR 50 A (S)		572445	350,-	
SANHA- Pressfittings, SANHA-NioSan- Presssystem, SANHA- Pressfittings Gas, SANHA-NioSan- Presssystem Gas	SA 12	570930	105,-	
	SA 14	570932	105,-	
	SA 15	570935	105,-	
	SA 16	570937	105,-	
	SA 18	570940	105,-	
	SA 22	570945	105,-	
	SA 28	570950	105,-	
	SA 35	570955	105,-	
	SA 42 (4G)	570960	344,-	
	SA 54 (4G)	570965	344,-	
	M 12	570100	105,-	
	M 15	570110	105,-	
	M 18	570120	105,-	
	M 22	570130	105,-	
	M 28	570140	105,-	
	M 35	570150	105,-	
	M 42 (4G)	570160	344,-	
	M 54 (4G)	570170	344,-	
	V 12	570107	105,-	
	V 14	570112	105,-	
	V 15	570115	105,-	
	V 16	570117	105,-	
	V 18	570125	105,-	
	V 22	570135	105,-	
	V 28	570145	105,-	
V 35	570155	105,-		
V 42	570165	199,-		
V 54	570175	199,-		

Система	Пресс-плечи	Арт.-№		
Schüssler EUROPRESS- SYSTEM	TH 16*	570460	128,-	
	TH 20*	570470	128,-	
	TH 26*	570475	139,-	
	TH 32	570480	164,-	
SCHÜTZ EHT rOpress	TH 14*	570455	128,-	
	TH 16*	570460	128,-	
	TH 20*	570470	128,-	
	TH 26*	570475	139,-	
Seppelfricke Distribuzione MTSD	V 15	570115	105,-	
	V 22	570135	105,-	
	V 28	570145	105,-	
	V 35	570155	105,-	
Seppelfricke Systemtechnik SST Delphi Press	TH 14*	570455	128,-	
	TH 16*	570460	128,-	
	TH 20*	570470	128,-	
	TH 26*	570475	139,-	
SIKO TYPRO, TYROTHERM	TH 14*	570455	128,-	
	TH 16*	570460	128,-	
	TH 18*	570465	128,-	
	TH 20*	570470	128,-	
Simplex SiRoCon CuE	M 12	570100	105,-	
	M 15	570110	105,-	
	M 18	570120	105,-	
	M 22	570130	105,-	
Simplex SiRoCon Installationssystem H	H 11,5*	570315	116,-	
	H 16*	570320	116,-	
	H 20*	570350	116,-	
	H 26*	570370	128,-	
Simplex SiRoCon Installationssystem TH	TH 16*	570460	128,-	
	TH 20*	570470	128,-	
	TH 26*	570475	139,-	
	TH 32	570480	164,-	
SST-Roltec Rosy	H 14A*	570610	145,-	
	H 16A*	570620	145,-	
	H 20A*	570650	145,-	
	H 26A*	570670	156,-	
	H 32A	570680	156,-	
	H 40A (4G)	570695	373,-	
SST-Roltec Delphi-Press	TH 14*	570455	128,-	
	TH 16*	570460	128,-	
	TH 18*	570465	128,-	
	TH 20*	570470	128,-	
	TH 26*	570475	139,-	
	TH 32	570480	164,-	
STS Systemtechnik	TH 14*	570455	128,-	
	TH 16*	570460	128,-	
	TH 18*	570465	128,-	
	TH 20*	570470	128,-	
	TH 26*	570475	139,-	
	TH 32	570480	164,-	
System PREXTO	M 12	570100	105,-	
	M 15	570110	105,-	
	M 18	570120	105,-	
	M 22	570130	105,-	
	System WELCO-Flex	H 14A*	570610	145,-
		H 16A*	570620	145,-
H 17A*		570630	145,-	
H 20A*		570650	145,-	
H 26A*		570670	156,-	
H 32A		570680	156,-	
TECHNO TRADE/ Fränkische	F 16*	570715	122,-	
	F 20*	570725	122,-	
	F 26*	570730	128,-	
	F 32	570735	139,-	
	F 40	570740	156,-	
	F 50	570745	178,-	
THERMAGAS Espace Espresso	TH 14*	570455	128,-	
	TH 16*	570460	128,-	
	TH 20*	570470	128,-	
	TH 26*	570475	139,-	
	TH 32	570480	164,-	
	TH 40	570485	175,-	
THERMOLUTZ acurar, rapid	H 14*	570310	116,-	
	H 16*	570320	116,-	
	H 17*	570330	116,-	
THERMOVAL THERMOSMART	TH 14*	570455	128,-	
	TH 16*	570460	128,-	
	TH 18*	570465	128,-	
	TH 20*	570470	128,-	
	TH 26*	570475	139,-	
	TH 32	570480	164,-	
TIEMME COBRAPRESS	TH 14*	570455	128,-	
	TH 16*	570460	128,-	
	TH 20*	570470	128,-	
	TH 26*	570475	139,-	
	TH 32	570480	164,-	
	TH 40	570485	175,-	
TKM Fellingsbio TKMPRESS	TH 14*	570455	128,-	
	TH 16*	570460	128,-	
	TH 20*	570470	128,-	
	TH 26*	570475	139,-	
	TH 32	570480	164,-	
	TH 40	570485	175,-	
TKM Fellingsbio TKMPRESS	TH 50 (S)	572400	322,-	
	TH 63 (S)	572405	322,-	
	H 14*	570310	116,-	
	H 16*	570320	116,-	
	H 17*	570330	116,-	
	H 18*	570340	116,-	
TKM Fellingsbio TKMPRESS	H 20*	570350	116,-	
	H 26*	570370	128,-	
	H 32	570380	128,-	
	H 40 (4G)	570390	344,-	

Система	Пресс-клещи	Арт.-№	
Ulrich VARIOFLEX- HAKAPRESS	H 14*	570310 116,-	
	H 16*	570320 116,-	
	H 17*	570330 116,-	
	H 18*	570340 116,-	
	H 20*	570350 116,-	
	H 26*	570370 126,-	
	H 32	570380 126,-	
	H 40 (4G)	570390 344,-	
	Uponor Unipipe [®] , Uponor Aipipe [®]	U 14*	570760 110,-
		U 16*	570765 110,-
U 18*		570770 110,-	
U 20*		570775 110,-	
U 25*		570780 121,-	
U 32		570785 133,-	
U 40		570790 167,-	
U 50		570795 188,-	
U 63 (S)		572365 322,-	
U 75 (S)		572370 -	
Vaisir PEXAL	H 14*	570310 116,-	
	H 16*	570320 116,-	
	H 20*	570350 116,-	
	H 26*	570370 126,-	
	U 40	570790 167,-	
Variotherm	H 11,5*	570315 116,-	
	H 16*	570320 116,-	
Vescol Metalplast [®]	U 16*	570765 110,-	
	U 18*	570770 110,-	
	U 20*	570775 110,-	
	U 25*	570780 121,-	
	U 32	570785 133,-	
	U 40	570790 167,-	
	U 50	570795 188,-	
	U 63 (S)	572365 322,-	
Viega- Pexfit FOSTA, Pexfit PLUS,	VX 12*	571630 110,-	
	VX 16*	571635 110,-	
	VX 20*	571640 110,-	
Viega- 'profilpress', 'profilpress G', 'profilpress THERM', 'sanpress', 'sanpress INOX', 'sanpress INOX G'	V 12	570107 105,-	
	VG 14	570132 105,-	
	V 15	570115 105,-	
	VG 16	570137 105,-	
	V 18	570125 105,-	
	V 22	570135 105,-	
	V 28	570145 105,-	
	V 35	570155 105,-	
	V 42	570165 199,-	
	V 54	570175 199,-	
Viega- 'sanfix FOSTA', 'sanfix P', 'sanfix PLUS', Viegatherm P'	VP 14*	570905 110,-	
	VP 16*	570910 110,-	
	VP 20*	570915 110,-	
	VP 25*	570920 122,-	
	VP 32	570925 134,-	
Viessmann	TH 14*	570455 128,-	
	TH 16*	570460 128,-	
	TH 20*	570470 128,-	
	TH 26*	570475 139,-	
	TH 32	570480 164,-	
	TH 40	570485 175,-	
VSH Fibw Control Stalpress, Cu-Press, Cu-Press Gas (15 – 28 mm), Inox-Press	M 15	570110 105,-	
	M 18	570120 105,-	
	M 22	570130 105,-	
	M 28	570140 105,-	
	M 36	570150 105,-	
	M 42 (4G)	570160 344,-	
VSH Fibw Control POLYPRESS	M 54 (4G)	570170 344,-	
	TH 16*	570460 128,-	
	TH 20*	570470 128,-	
	TH 26*	570475 139,-	
	TH 32	570480 164,-	
	TH 40	570485 175,-	
Watts MTR Art press	TH 50 (S)	572400 322,-	
	TH 16*	570460 128,-	
	TH 20*	570470 128,-	
	TH 26*	570475 139,-	
Wavin Future K 1, Wavin Future K 2, Wavin Tigris, Wavin Tigris Alupek, Wavin Tigris Blue, Wavin Tigris PEX	TH 32	570480 164,-	
	TH 40	570485 175,-	
	TH 50 (S)	572400 322,-	
	U 16*	570765 110,-	
	U 18*	570770 110,-	
	U 20*	570775 110,-	
	U 25*	570780 121,-	
U 32	570785 133,-		
Wavin Tigris Press	U 40	570790 167,-	
	U 50	570795 188,-	
	WA 12*	570755 110,-	
WEFA PLASTIC WEFATHERM- PRESS	WA 15*	570762 110,-	
	U 18*	570770 110,-	
	H 16*	570320 116,-	
WEM	H 20*	570350 116,-	
	H 26*	570370 126,-	
	H 32	570380 126,-	
	H 16*	570320 116,-	
Wirkler	TH 14*	570455 128,-	
	TH 16*	570460 128,-	
	TH 18*	570465 128,-	
	TH 20*	570470 128,-	
	TH 26*	570475 139,-	
	TH 32	570480 164,-	
	TH 40	570485 175,-	
	TH 50 (S)	572400 322,-	
	Wirsbo-Velta bioproduct P, Fußbodenheizung, rapex multi	H 14 A*	570610 145,-
H 16 A*		570620 145,-	
H 17 A*		570630 145,-	
H 20 A*		570650 145,-	
H 25 A		570660 156,-	
H 26 A*		570670 156,-	
H 32 A		570680 156,-	
H 40 A (4G)	570695 373,-		

Система	Пресс-клещи	Арт.-№
WKS	H 14*	570310 116,-
	H 16*	570320 116,-
	H 17*	570330 116,-
	H 18*	570340 116,-
	H 20*	570350 116,-
	H 26*	570370 126,-
	H 32	570380 126,-
	H 40 (4G)	570390 344,-
	U 40	570790 167,-
	WOESTE 'Yorkshire'	M 12
M 15		570110 105,-
RYW PRESS FITTINGS,	M 18	570120 105,-
	M 22	570130 105,-
RYW Gas PRESS FITTINGS	M 28	570140 105,-
	M 35	570150 105,-
(15 – 35 mm), VSH Dominax	M 42 (4G)	570160 344,-
	M 54 (4G)	570170 344,-

Пресс клещи REMS (S)

с 3 сегментами,
для больших размеров.
Сверхпростая,
сверхбыстродействующая!

